




Starkstrom Illuminated Warning Signs (IWS) - Configuration Form (Single)

Page 1 of 2

Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)

 <input type="checkbox"/> Flush (F) 05h x 355w x 9d (cutout 90h x 337w x 66d)	 <input type="checkbox"/> Surface (S) 105h x 355w x 75d	 <input type="checkbox"/> Surface with Side Lights (SL) 105h x 355w x 75d
--	--	--

Replace X in part no., with F, S or SL as above, for the full part number of the desired IWS, or tick box above to specify mounting type.

IN USE

Text: RED
Background: BLACK
IWS-11-0-X-010
QTY: _____

ROOM IN USE

Text: RED
Background: BLACK
IWS-11-0-X-020
QTY: _____

THEATRE IN USE

Text: RED
Background: BLACK
IWS-11-0-X-030
QTY: _____

DARKROOM IN USE

Text: RED
Background: BLACK
IWS-11-0-X-310
QTY: _____

NO ENTRY

Text: RED
Background: BLACK
IWS-11-0-X-190
QTY: _____

DO NOT ENTER

Text: RED
Background: BLACK
IWS-11-0-X-200
QTY: _____

ENGAGED

Text: RED
Background: BLACK
IWS-11-0-X-130
QTY: _____

RECORDING

Text: RED
Background: BLACK
IWS-11-0-X-140
QTY: _____

VENTILATION ON

Text: RED
Background: BLACK
IWS-11-0-X-520
QTY: _____

AIR CONDITIONING ON

Text: RED
Background: BLACK
IWS-11-0-X-530
QTY: _____

RECORDING IN PROGRESS

Text: RED
Background: BLACK
IWS-11-0-X-240
QTY: _____

MEETING IN PROGRESS

Text: RED
Background: BLACK
IWS-11-0-X-260
QTY: _____

INTERVIEW IN PROGRESS

Text: RED
Background: BLACK
IWS-11-0-X-280
QTY: _____

DARKROOM IN USE DO NOT ENTER

Text: RED
Background: BLACK
IWS-11-0-X-320
QTY: _____

CONFERENCE IN PROGRESS

Text: RED
Background: BLACK
IWS-11-0-X-250
QTY: _____


LECTURE IN PROGRESS

Text: RED
Background: BLACK
IWS-11-0-X-270
QTY: _____

See last page of this document for IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.



Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)



Replace X in part no., with F, S or SL as above, for the full part number of the desired IWS, or tick box above to specify mounting type.

△ LASER ON

Text: BLACK
Background: YELLOW
QTY: _____

IWS-11-0-X-073

△ X-RAY ON

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)

IWS-11-0-X-103

△ SCANNER IN USE

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)

IWS-11-0-X-053 (XR Symbol)

△ FLUORO ON

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)

IWS-11-0-X-383 (XR Symbol)

△ ANGIO ON

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)

IWS-11-0-X-393 (XR Symbol)

MAINS ON

Text: YELLOW
Background: BLACK
QTY: _____

IWS-11-0-X-161

⊘ NO ENTRY ⊘

Text: WHITE
Background: RED
QTY: _____

(#) IWS-11-0-X-198

SHOP OPEN

Text: WHITE
Background: GREEN
QTY: _____

(#) IWS-11-0-X-447

△ LASER IN USE

Text: BLACK
Background: YELLOW
QTY: _____

IWS-11-0-X-083

△ X-RAY IN USE

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)

IWS-11-0-X-113

△ CONTROLLED AREA RADIATION

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)

IWS-11-0-X-553 (XR Symbol)

△ CONTROLLED AREA LASER

Text: BLACK
Background: YELLOW
QTY: _____

IWS-11-0-X-563

🕶️ EYE PROTECTION MUST BE WORN

Text: WHITE
Background: BLUE
QTY: _____

(#) IWS-11-0-X-415

KILN ON

Text: GREEN
Background: BLACK
QTY: _____

(#) IWS-11-0-X-226

DO NOT ENTER

Text: BLACK
Background: RED
QTY: _____

IWS-11-0-X-202

TAXI WAITING

Text: BLUE
Background: BLACK
QTY: _____




(#) IWS-11-0-X-434

See last page of this document for IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.

Starkstrom Illuminated Warning Signs (IWS) - Configuration Form (Double)

Page 1 of 2

Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)

 <input type="checkbox"/> Flush (F) 192h x 355w x 9d (cutout 177h x 337w x 66d)	 <input type="checkbox"/> Surface (S) 192h x 355w x 75d	 <input type="checkbox"/> Surface with Side Lights (SL) 192h x 355w x 75d
--	--	--

Replace X in part no., with F, S or SL as above, for the full part number of the desired IWS, or tick box above to specify mounting type.



Text: RED
Background: BLACK
QTY: _____



Text: RED
Background: BLACK
QTY: _____



Text 1: BLACK
Background 1: YELLOW Text
2: RED
Background 2: BLACK
QTY: _____ (w/out SBC)



Text 1: YELLOW
Background 1: BLACK
Text 2: RED
Background 2: BLACK
QTY: _____



Text 1: BLACK
Background 1: YELLOW Text
2: RED
Background 2: BLACK
QTY: _____ (w/out SBC)



Text 1: RED
Background 1: BLACK
Text 2: BLACK
Background 2: YELLOW
QTY: _____ (w/out SBC)



Text 1: BLACK
Background 1: YELLOW Text
2: RED
Background 2: BLACK
QTY: _____ (w/out SBC)



Text 1: BLACK
Background 1: YELLOW Text
2: RED
Background 2: BLACK
QTY: _____



Text 1: BLACK
Background 1: YELLOW
Text 2: RED
Background 2: BLACK
QTY: _____ (w/out SBC)




Text 1: BLACK
Background 1: YELLOW
Text 2: RED
Background 2: BLACK
QTY: _____ (with SBC)

See last page of this document for IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.



Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)



Replace X in part no., with F, S or SL as above, for the full part number of the desired IWS, or tick box above to specify mounting type.



IWS-22-0-X-C83

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)



IWS-22-0-X-A63

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)




IWS-21-0-X-B93

Text: BLACK
Background: YELLOW
QTY: _____



(#) IWS-21-0-X-C68

Text: WHITE
Background: RED
QTY: _____



IWS-22-0-X-C73

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)



IWS-22-0-X-D23

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)



(#) IWS-22-0-X-B8E

Text 1: BLACK
Background 1: YELLOW
Text 2: WHITE
Background 2: BLUE
QTY: _____



IWS-21-0-X-B13

Text: BLACK
Background: YELLOW
QTY: _____ (w/out SBC)



IWS-22-0-X-C9D (XR Symbol)

Text 1: BLACK
Background 1: YELLOW
Text 2: BLACK
Background 2: RED
QTY: _____ (w/out SBC)



IWS-22-0-X-D12




Text: BLACK
Background: RED
QTY: _____

See last page of this document for IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.

Starkstrom Illuminated Warning Signs (IWS) - Configuration Form (Triple)

Page 1 of 2

Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)

 <input type="checkbox"/> Flush (F) 279h x 355w x 9d (cutout 264h x 337w x 66d)	 <input type="checkbox"/> Surface (S) 279h x 355w x 75d	 <input type="checkbox"/> Surface with Side Lights (SL) 279h x 355w x 75d
--	--	--

Replace X in part no., with F, S or SL as above, for the full part number of the desired IWS, or tick box above to specify mounting type.



IWS-33-0-X-B6R

Text 1: BLACK
Background 1: YELLOW Text
2-3: RED
Background 2-3: BLACK
QTY: _____ (w/out SBC)



IWS-33-0-X-B7R

Text 1: BLACK
Background 1: YELLOW Text
2-3: RED
Background 2-3: BLACK
QTY: _____



IWS-33-0-X-C1R

Text 1: BLACK
Background 1: YELLOW Text
2-3: RED
Background 2-3: BLACK
QTY: _____ (w/out SBC)



IWS-33-0-X-B4R

Text 1: BLACK
Background 1: YELLOW Text
2-3: RED
Background 2-3: BLACK
QTY: _____



IWS-33-0-X-A90

Text: RED
Background: BLACK
QTY: _____



IWS-33-0-X-B2Q

Text 1-2: BLACK
Background 1-2: YELLOW
Text 3: RED
Background 3: BLACK
QTY: _____ (w/out SBC)



IWS-33-0-X-A9N

Text 1: YELLOW
Text 2-3: RED
Background: BLACK
QTY: _____




IWS-33-0-X-C3Q

Text 1-2: BLACK
Background 1-2: YELLOW
Text 3: RED
Background 3: BLACK
QTY: _____ (w/out SBC)

See last page of this document for IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.



Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)



Replace X in part no., with F, S or SL as above, for the full part number of the desired IWS, or tick box above to specify mounting type.



Text 1: BLACK
Background 1: YELLOW Text 2: WHITE
Background 2: RED
QTY: _____ (with SBC)

(#) IWS-32-1-F-A3Z

Flush Only



Text 1: BLACK
Background 1: YELLOW Text 2: WHITE
Background 2: RED
QTY: _____

(#) IWS-32-0-F-A4Z

Flush Only



Text 1-2: BLACK
Background 1-2: YELLOW
Text 3: RED
Background 3: BLACK
QTY: _____ (w/out SBC)

IWS-33-0-X-D7Q



Text 1-3: BLACK
Background 1-2: YELLOW
Background 3: RED
QTY: _____ (w/out SBC)

IWS-33-0-X-B2W



Text 1: RED
Background 1: BLACK Text 2-3: BLACK
Background 2-3: YELLOW
QTY: _____ (w/out SBC)

IWS-33-0-X-D5S



Text 1-2: BLACK
Background 1-2: YELLOW
Text 3: RED
Background 3: BLACK
QTY: _____ (w/out SBC)

IWS-33-0-X-A5Q



Text 1: GREEN
Text 2: YELLOW
Text 3: RED
Background 1-3: BLACK
QTY: _____

(#) IWS-33-0-X-C4Y



Text 1+3: BLACK
Background 1+3: YELLOW
Text 2: YELLOW
Background 2: BLACK
QTY: _____ (w/out SBC)





IWS-33-0-X-D6V

See last page of this document for IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.

Starkstrom Illuminated Warning Signs (IWS) - Configuration Form (Specials)

Page 1 of 1

Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)

<p>Fluorescent with SBC</p>  <p><input type="checkbox"/> IWS-40-1-SL-X 195h x 340w x 77d</p>	<p>Fluorescent with SBC</p>  <p><input type="checkbox"/> IWS-40-1-SL-L 195h x 340w x 77d</p>	<p>Text 1: BLACK Background 1: YELLOW Text 2: WHITE Background 2: RED QTY: _____ (with SBC)</p> <p>Fixed Legend Text / Colours</p> <p>Compact Surface with Side Lights, Only</p>
<p>Fluorescent</p>  <p><input type="checkbox"/> IWS-40-0-SL-X 195h x 340w x 77d</p>	<p>Fluorescent</p>  <p><input type="checkbox"/> IWS-40-0-SL-L 195h x 340w x 77d</p>	<p>Text 1: BLACK Background 1: YELLOW Text 2: WHITE Background 2: RED QTY: _____ (w/out SBC)</p> <p>Fixed Legend Text / Colours</p> <p>Compact Surface with Side Lights, Only</p>










See last page of this document for IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.




Starkstrom Illuminated Warning Signs (IWS) - Configuration Form (Custom)

Page 1 of 1


Company:	Phone:
Project:	Order No.:
Approved By: (Print Name)	Approved By: (Signature)


 <p>Qty: ____ Flush (F) 105h x 355w x 9d (cutout 90h x 337w x 66d)</p>	 <p>Qty: ____ Flush (F) 192h x 355w x 9d (cutout 177h x 337w x 66d)</p>	 <p>Qty: ____ Flush (F) 279h x 355w x 9d (cutout 264h x 337w x 66d)</p>
 <p>Qty: ____ Surface (S) 105h x 355w x 75d</p>	 <p>Qty: ____ Surface (S) 192h x 355w x 75d</p>	 <p>Qty: ____ Surface (S) 279h x 355w x 75d</p>
 <p>Qty: ____ Side Lights (SL) 105h x 355w x 75d</p>	 <p>Qty: ____ Side Lights (SL) 192h x 355w x 75d</p>	 <p>Qty: ____ Side Lights (SL) 279h x 355w x 75d</p>

TEXT COL.	BACK COL.	LEGEND	SBC
<input type="checkbox"/> RED <input type="checkbox"/> YELLOW <input type="checkbox"/> BLACK <input type="checkbox"/> GREEN # <input type="checkbox"/> WHITE # <input type="checkbox"/> BLUE #	<input type="checkbox"/> RED <input type="checkbox"/> YELLOW <input type="checkbox"/> BLACK <input type="checkbox"/> GREEN # <input type="checkbox"/> WHITE # <input type="checkbox"/> BLUE #		<input type="checkbox"/> YES
<input type="checkbox"/> RED <input type="checkbox"/> YELLOW <input type="checkbox"/> BLACK <input type="checkbox"/> GREEN # <input type="checkbox"/> WHITE # <input type="checkbox"/> BLUE #	<input type="checkbox"/> RED <input type="checkbox"/> YELLOW <input type="checkbox"/> BLACK <input type="checkbox"/> GREEN # <input type="checkbox"/> WHITE # <input type="checkbox"/> BLUE #		<input type="checkbox"/> YES
<input type="checkbox"/> RED <input type="checkbox"/> YELLOW <input type="checkbox"/> BLACK <input type="checkbox"/> GREEN # <input type="checkbox"/> WHITE # <input type="checkbox"/> BLUE #	<input type="checkbox"/> RED <input type="checkbox"/> YELLOW <input type="checkbox"/> BLACK <input type="checkbox"/> GREEN # <input type="checkbox"/> WHITE # <input type="checkbox"/> BLUE #		<input type="checkbox"/> YES

See last page of this document for design constraints for custom signs, IWS lead times, delivery charges, non-standard colour surcharge, T&C's, etc.

Symbols: Write the following in one box for a symbol character...

NE =  No Entry Symbol

XR =  Radiation Warning

LA =  Laser Warning

EP =  Eye Protection Sym

Non-standard legend colours / artwork surcharges:

Legend examples in this document use Starkstrom standard wording/colour combinations (red, yellow, black), except where marked (#).

Legends marked (#) use one or more non-standard colours (green, white, blue) and are subject to a fixed £250.00 excl. VAT artwork surcharge, covering up to, any four colours total.

Artwork surcharges are incurred for each unique legend configuration, using one or more of the non-standard colours (green, white, blue).

Custom wording using standard colour combinations does not incur the artwork surcharge.

Custom legends are non-returnable.

Legend standards:

All standard wording / symbols comply with the relevant parts of BS 5499, BS EN ISO 7010, and BS EN 60825 regarding lasers. Abbreviated symbols used in this document are for illustration purposes only.

Lead times:

1–10 signs are typically 3-5 days, larger quantities may take longer.

Non-standard colour signs marked (#) are typically 2-3 weeks.

Delivery charges:

Quantity	Delivery Charge excl. VAT	Method
1-2	P.O.A.	Parcel
3-9	P.O.A.	Parcel up to 25Kg
10-19	P.O.A.	1-2 Parcels up to 25Kg each
20-29	P.O.A.	2-3 Parcels up to 25Kg each
30-59	P.O.A.	Pallet
60+	P.O.A.	TBA

Electrical:

All signs use an 8W 230VAC T5 fluorescent tube (per channel), unless an SBC version is requested. SBC lamps are rated for intermittent use only. A separate 230VAC switched supply is required for each channel, combined channels require one supply. Fluorescent tube channels are not suitable for rapid switching.

Design constraints for custom signs:

When using the 'Configuration Form (Custom)' channels can be combined as needed i.e. a triple IWS could be only two channel (IWS-32), and a double IWS only one channel (IWS-21). Combined channels can be specified by erasing the dividing line between them, or writing 'combine' across the two channels concerned.

Combining two channels into one is useful where a lot of text is needed, which will not fit into one channel, or if larger than normal text is needed for viewing the sign at increased distance. If channel combination is not clearly specified, all channels will be supplied separated.

Max. character boxes are for guidance only. Actual max. characters will vary according to letters used i.e. W's take up more room than I's. If more than 14 characters are needed, simply write in the legend required, and Starkstrom will confirm if it is possible or not.

Typically, 100pt. Aerial font is used. 70pt. may be used where two lines of text are required within one channel. Aerial, Aerial Bold and Aerial Narrow are used as appropriate.

General

Starkstrom reserve the right to provide, at no additional cost, an 'SL' version if an 'S' version is requested.

Prices valid for 6 months and exclude VAT and delivery.

Starkstrom's standard T&C's apply, and are available upon request.